Claims

5

1) Compounds of formula (I), (Ia) and (Ib)

Wherein:

10 A is selected from C-X and N,

B is selected from C-Y and N,

R¹ is selected from H and (C₁-C₆)alkyl,

R² is selected from H and (C₁-C₆)alkyl,

X is selected from H, HO, C(O)NH₂, NH₂

15 Y is selected from H, HO, NH₂, Br, Cl and F

Z is selected from H, HO, F, CONH₂ and CN;

And pharmaceutically acceptable salts, solvates and prodrugs thereof;

With the provisos that:

for a compound of formula (I), (Ia) or (Ib), when A is C-X, B is C-Y, R^1 is H or (C_1-C_6) alkyl and R^2 is H or (C_1-C_6) alkyl at least one of X, Y and Z must be OH;

for a compound of formula (I), when A is C-X and B is C-Y, Y is H, Z is H, R¹ is H and R² is H, then X cannot be OH.

- 2) Compounds of formula (I), (Ia) and (Ib) as claimed in claim 1 wherein A is C-X or N and B is C-Y.
- 3) Compounds of formula (I), (Ia) and (Ib) as claimed in claims 1-2 wherein R¹ is H, methyl and ethyl.
 - 4) Compounds of formula (I), (Ia) and (Ib) as claimed in claims 1-3 wherein R² is selected from H and methyl.
 - 5) Compounds of formula (I), (Ia) and (Ib) as claimed in claims 1-4 wherein X is selected from H, OH and NH₂
- 15 6) Compounds of formula (I), (Ia) and (Ib) as claimed in claims 1-5 wherein Y is selected from H, NH₂, Cl and F.
 - 7) Compounds of formula (I), (Ia) and (Ib) as claimed in claims 1-6 wherein Z is selected from H, HO and F.
 - 8) R-(-)-3-(4-Propylmorpholin-2-yl)phenol
- 20 S-(+)-3-(4-Propylmorpholin-2-yl)phenol
 - R-(-)-3-(4-Propylmorpholin-2-yl)phenol hydrochloride
 - R-5-(4-Propylmorpholin-2-yl)benzene-1, 3-diol
 - S-5-(4-Propylmorpholin-2-yl)benzene-1, 3-diol
 - R-(+)-2-Fluoro-5-(4-propylmorpholin-2-yl)phenol
- 25 S-(-)-2-Fluoro-5-(4-propylmorpholin-2-yl)phenol
 - 5-(4-Propylmorpholin-2-yl)pyridin-2-ylamine
 - 2-Chloro-5-(4-propyl-morpholin-2-yl)phenol
 - 5-[(2S,5S)-5-methyl-4-propylmorpholin-2-yl]pyridin-2-amine
 - 5-[(2R,5S)-5-methyl-4-propylmorpholin-2-yl]pyridin-2-amine

9) Compounds of formula (I), (Ia) and (Ib) as claimed in claims 1-8 for use as a medicament.

The use of compounds of formula (I), (Ia) and (Ib) as claimed in claims 1-8 in the preparation of a medicament for the treatment of a condition selected from: sexual dysfunction, female dysfunction, including hypoactive sexual desire disorder, sexual arousal disorder, orgasmic disorder and sexual pain disorder; male erectile dysfunction, hypertension, neurodegeneration, psychiatric disorders, depression (e.g. depression in cancer patients, depression in Parkinson's patients, postmyocardial infarction depression, subsyndromal symptomatic depression, depression in infertile women, paediatric depression, major depression, single episode depression, recurrent depression, child abuse induced depression, post partum depression and grumpy old man syndrome), generalized anxiety disorder, phobias (e.g. agoraphobia, social phobia and simple phobias), posttraumatic stress syndrome, avoidant personality disorder, premature ejaculation, eating disorders (e.g. anorexia nervosa and bulimia nervosa), obesity, chemical dependencies (e.g. addictions to alcohol, cocaine, heroin, phenobarbital, nicotine and benzodiazepines), cluster headache, migraine, pain, Alzheimer's disease, obsessive-compulsive disorder, panic disorder, memory disorders (e.g. dementia, amnestic disorders, and age-related cognitive decline (ARCD)), Parkinson's diseases (e.g. dementia in Parkinson's disease, neuroleptic-induced parkinsonism and tardive dyskinesias), endocrine disorders (e.g. hyperprolactinaemia), vasospasm (particularly in the cerebral vasculature), cerebellar ataxia, gastrointestinal tract disorders (involving changes in motility and secretion), negative symptoms of schizophrenia, premenstrual syndrome, fibromyalgia syndrome, stress incontinence, Tourette's syndrome, trichotillomania, kleptomania, male impotence, attention

. 30

10)

5

10

15

20

25

deficit hyperactivity disorder (ADHD), chronic paroxysmal hemicrania, headache (associated with vascular disorders), emotional lability, pathological crying, sleeping disorder (cataplexy) and shock.

- 5 11) The use as claimed in claim 10 where the condition is female sexual dysfunction, male erectile dysfunction, neurodegeneration, depression and psychiatric disorders.
- 12) The use as claimed in claim 10 where the condition is male erectiledysfunction
 - 13) The use as claimed in claim 10 where the condition is hypoactive sexual desire disorder, sexual arousal disorder, orgasmic disorder and sexual pain disorder in females.

15

- 14) The use as claimed in claim 13 where the condition is female sexual arousal disorder and concomitant hypoactive sexual desire disorder.
- 15) A composition containing a compound of formula (I), (Ia) or (Ib) as claimed in claims 1-8 and a pharmaceutically acceptable diluent or carrier.

25